


RADIUS	RAD TOL	IRR TOL	C.A. DIA	EDGE DIA	MATERIAL	THICK	THI TOL
2.4771 CC	2F	.25F	3.5	5.0000	SILICA	1.7000	.02
6.9232 CX	2F	.25F	4				

1. All dimensions in Millimeters
2. Material per MIL-G-174
3. Pitch polish to test plate within power and irregularity indicated.
4. Manufacture per MIL-O-13830
5. Bevel Edges at 45 DEG to .1 mm max face width

硝材 : Fused Silica ... 配布図面No.23146

NR -3 to 0 本
 肉厚公差 +/- 0.02mm
 外径公差 +/- 0.05mm
 各稜 c 0.2mm
 M_d +/- 0.00100
 V_d +/- 0.5
 偏芯 +/- 1°

コートの有効径も教えてください



見積り数量

試作 : 20個

量産 : 100、200ヶ/lot (100~200ヶ/年)

見積り期限 : 3/5

2.00 mm

TITLE FC DG Achromat			
DATE 2/18/2020	SCALE 10:1	DRAWN Yoshi	APPROV
PROJECT			
DRAWING L2		REVISION	